

MADE IN ITALY. MADE TO EXCEL.

BOOST

NATURAL PRO

Interactive version



 **atlas concorde**

April 2024

CONCRETE LOOK

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com

INDEX

- INSPIRATION
- IMAGE GALLERY
- SURFACE RANGE & TECHNICAL SPECIFICATION

Handcrafted effect in collaboration with **Matteo Brioni**

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




ENJOY
THE VIDEO



PRIMARY
DESIGN.

BOOST
NATURAL PRO

BOOST
NATURAL



2 COLLECTIONS. 15 COLOR SHADES.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





3D Wave

Original masterpiece by **Matteo Brioni**

HAND
CRAFTED
DECORS.



3D Craft

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Motion



SURFACE	Velvet	Matte	Outdoor
TECHNOLOGY	Velvetechn	Sensitech	Sensitech
REFLECTION	Light shiny	Opaque	Opaque
TOUCH	Velvety	Softness	Softness
RECCOMENDED USE	Medium Traffic	Heavy Traffic	Heavy Traffic

TAILORED
TO MEET
ANY DESIRE.



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





ENDLESS
IN&OUT
SOLUTIONS.



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Image Gallery

↔ **Spa Bathroom** - Salt | Cinder



↔ **Home Bathroom** - Cinder | Salt



↔ **Restroom** - Cinder | Salt



Hotel Bathroom
↔ Dove | Cinder | Coffee



↔ **Dining Room** - Oat | 3D Rice Oat



Living Room
↔ Oat | Salt | Motion Coffee



↔ **Kitchen** - Taupe | Sand



↔ **Villa In&Out** - Cinder



Luxury Store
↔ Sand | Lava | Motion Oat



INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Salt
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Natural Pro
3D Wave Skin
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



- SPA BATHROOM
- HOME BATHROOM
- RESTROOM
- HOTEL BATHROOM
- DINING ROOM
- LIVING ROOM
- KITCHEN
- VILLA IN&OUT
- LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Boost Natural Pro
3D Wave Skin
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Boost Natural Pro
Cinder**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Boost Natural Pro
Salt**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Boost Natural Pro
3D Wave Salt**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Boost Natural Pro
Skin**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SINK
Atlas Concorde Habitat
Twin wall-mounted
**Boost Natural
Salt**

INDEX



INSPIRATION



IMAGE
GALLERY



- SPA BATHROOM
- HOME BATHROOM
- RESTROOM
- HOTEL BATHROOM
- DINING ROOM
- LIVING ROOM
- KITCHEN
- VILLA IN&OUT
- LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Boost Natural Pro
Cinder**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Boost Natural Pro
Salt**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Boost Natural Pro
3D Wave Salt**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Boost Natural Pro
Skin**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SINK
Atlas Concorde Habitat
Twin wall-mounted
**Boost Natural
Salt**

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Cinder
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
3D Craft Salt
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
Salt
Matte Sensitech
50x120 cm | 19 5/8"x47 1/4"

SINKS | Freestanding
Atlas Concorde Habitat
Calacatta Meraviglia
Silk
65x50x85 cm | 25 5/8"x19 5/8"x33 1/2"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Black Atlantis
Polished
ø 45 cm | 17 3/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Boost Natural Pro
3D Craft Salt
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Dove
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
Coffee
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
3D Craft Cinder
Matte
50x120 cm | 19 5/8"x47 1/4"

MASTERTOP
Atlas Concorde Habitat
Cinder
Matte
160x50x12 cm | 63"x19 5/8"x4 3/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Natural Pro Dove

Matte Sensitech

120x120 cm | 47¹/₄"x47¹/₄"

WALL

Boost Natural Pro Cinder

Matte

50x120 cm | 19⁵/₈"x47¹/₄"

Boost Natural Pro Coffee

Matte

50x120 cm | 19⁵/₈"x47¹/₄"

Boost Natural Pro 3D Craft Cinder

Matte

50x120 cm | 19⁵/₈"x47¹/₄"

MASTERTOP

Atlas Concorde Habitat Cinder

Matte

160x50x12 cm | 63"x19⁵/₈"x4³/₄"



INDEX



INSPIRATION



IMAGE GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

DINING TABLE | **Incontro 75**
Atlas Concorde Habitat
Desert Soul
Polished
100x240 cm | 39³/₈"x94¹/₂"



Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

DINING TABLE | **Incontro 75**
Atlas Concorde Habitat
Desert Soul
Polished
100x240 cm | 39³/₈"x94¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro
Salt
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural Pro
Motion Coffee
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Fior di Bosco
Silk
ø 70 cm | 27¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro
Salt
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural Pro
Motion Coffee
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR	WALL	
Boost Natural Pro	Boost Natural Pro	Boost Natural Pro
Oat	Salt	Motion Coffee
Matte Sensitech	Matte	Matte
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	50x120 cm 19 ⁵ / ₈ "x47 ¹ / ₄ "

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Pro
Taupe
Hammered
160x320 cm | 63"x126"

WALL
Boost Natural Pro
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

COUNTERTOP
Atlas Plan
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Pro
Taupe
Hammered
160x320 cm | 63"x126"

WALL
Boost Natural Pro
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

COUNTERTOP
Atlas Plan
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"



INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





OUTDOOR FLOOR
Boost Balance Pro
Cinder
Outdoor Sensitech $\pm$ 20mm
120x120 cm | 47 $\frac{1}{2}$ "x47 $\frac{1}{4}$ "

Boost Balance Pro
Cinder
Elemento L Outdoor Sensitech $\pm$ 20mm
33x120 cm | 13"x47 $\frac{1}{4}$ "

Boost Balance Pro
Cinder
Alzata Outdoor Sensitech $\pm$ 20mm
20x120 cm | 7 $\frac{7}{8}$ "x47 $\frac{1}{4}$ "

INDOOR FLOOR
Boost Balance Pro
Cinder
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

**Boost Balance Pro
Cinder**
Outdoor Sensitech $\pm$ 20mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

**Boost Balance Pro
Cinder**
Elemento L Outdoor Sensitech $\pm$ 20mm
33x120 cm | 13"x47 $\frac{1}{4}$ "

**Boost Balance Pro
Cinder**
Alzata Outdoor Sensitech $\pm$ 20mm
20x120 cm | 7 $\frac{7}{8}$ "x47 $\frac{1}{4}$ "

**Boost Balance Pro
Cinder**
Round Outdoor Sensitech $\pm$ 20mm
33x120 cm | 13"x47 $\frac{1}{4}$ "

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Sand
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Lava
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
Motion Oat
Matte
50x120 cm | 19 5/8"x47 1/4"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Black Lava
Leathered
ø 45 cm | 17 3/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Boost Natural Pro
Motion Oat
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Natural Pro
Sand
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

WALL

Boost Natural Pro
Oat
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural Pro
Lava
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE

Atlas Plan
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Boost Natural Pro
Sand
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro
Oat
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



FLOOR
Boost Natural Pro
Sand
Velvet Velvetech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Oat
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Pro
Lava
Matte
50x120 cm | 19 5/8"x47 1/4"

FURNITURE
Atlas Plan
Sand
Hammered
162x324 cm | 63 3/4"x127 1/2"



INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ↔ BOOST NATURAL PRO RANGE
- ↔ SENSITECH & VELVETECH TECHNOLOGY
- ↔ BOOST NATURAL + PRO BOOST NATURAL
- ↔ TECHNICAL SPECIFICATIONS
- ↔ BOOST WORLD

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

			Sand	Oat	Salt	Cinder	Dove
Floor Wall Bathroom furniture							
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm		Matte	Matte	Matte	Matte	Matte
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm		Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm		Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech	Matte Sensitech Velvet Velvtech
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
Outdoor							
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm			Outdoor Sensitech		Outdoor Sensitech	
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm			Outdoor Sensitech		Outdoor Sensitech	
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm			Outdoor Sensitech		Outdoor Sensitech	
Slabs for countertops and furniture							
162x324* cm - 63 ³ / ₄ "x127 ¹ / ₂ "	± 12 mm		Hammered				
> Non rectified Non rettificato							
* Atlas Plan							

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

							
Wall							
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte	Matte	Matte	Matte	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Rice	± 8,5 mm	Matte	Matte	Matte			
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Wave	± 8,5 mm	Matte	Matte	Matte			Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Craft	± 8,5 mm	Matte	Matte	Matte			
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Motion	± 8,5 mm	Matte			Matte		

Sensitech pag.70 **Velvtech** pag.71

Note on Velvet surface finish / Nota sulla finitura Velvet

The Velvet surface replicates the effect of polished concrete. It has a velvety touch and semi-opaque highlights. The natural character of the surface is highlighted by areas of different opacity perceptible in oblique or reflected light. Suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. If the product is in direct contact with the outdoors, solutions that absorb moisture and dirt must be used to prevent scratching. La superficie Velvet replica l'effetto di un cemento lucidato. Si distingue per la mano vellutata e per i riflessi semi-opachi. La naturalezza della superficie è evidenziata da zone di diversa opacità percettibili in luce radente o riflessa. Indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Destination of use	Anti-slip	Color-shading
M Matte $\pm$ 6 mm Velvet Velvtech $\pm$ 9 mm	H Matte Sensitech $\pm$ 9 mm Grip Sensitech $\pm$ 9 mm Outdoor Sensitech $\pm$ 20 mm	R9 A Matte $\pm$ 6 mm R10 A+B Matte Sensitech $\pm$ 9 mm R11 C Grip Sensitech $\pm$ 9 mm R11 C Outdoor Sensitech $\pm$ 20 mm
		V2 Slight Variation All colors



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



3D Rice

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation
All colors




50x120 cm
19⁵/₈"x47¹/₄"


± 8,5 mm



Boost Natural Pro 3D Rice Oat
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro 3D Rice Salt
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro 3D Rice Cinder
50x120 cm - 19⁵/₈"x47¹/₄"



3D Craft

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation
All colors



50x120 cm
19⁵/₈"x47¹/₄"


± 8,5 mm



Boost Natural Pro 3D Craft Oat
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro 3D Craft Salt
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro 3D Craft Cinder
50x120 cm - 19⁵/₈"x47¹/₄"



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



3D Wave

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation
All colors



Boost Natural Pro 3D Wave Oat
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro 3D Wave Salt
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro 3D Wave Cinder
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro 3D Wave Skin
50x120 cm - 19⁵/₈"x47¹/₄"



50x120 cm
19⁵/₈"x47¹/₄"

± 8,5 mm



Motion

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation
All colors



50x120 cm
19⁵/₈"x47¹/₄"

± 8,5 mm



Boost Natural Pro Motion Oat
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Natural Pro Motion Coffe
50x120 cm - 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Trim tiles

Porcelain trim tiles




✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione

Wall trim tiles



Outdoor trim tiles ± 20 mm



- * Available in / Disponibile in Oak, Cinder
- ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione
- ♦ Right-left angular elements are available / Sono disponibili gli elementi angolari dx/sx

Outdoor Porcelain tiles ± 20 mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.



THANKS TO



ceramicacielo.it



livingdivani.it



newform.it

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



Velvtech



Velvtech tecnologia

Sensitech tecnologia

Velvtech is the new technology with an Italian patent inspired by the effect of sanding on the surface. Velvtech has silk-like reflections and a velvety soft hand. The naturalness of the surface is emphasised by areas of different opacity that contribute to the depth of the surface.

Velvtech è la nuova tecnologia con brevetto depositato in Italia ispirata all'effetto della levigatura sulla superficie. Velvtech si presenta con riflessi che ricordano la seta e una mano vellutata e morbida. La naturalezza della superficie è evidenziata da zone di diversa opacità che contribuiscono a dare profondità alla superficie.



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



BOOST NATURAL PRO + BOOST NATURAL RANGE



BOOST NATURAL RANGE

SALT BOOST NATURAL PRO Porcelain & Wall Tile	KAOLIN BOOST NATURAL Porcelain & Wall Tile	OAT BOOST NATURAL PRO Porcelain & Wall Tile	SAND BOOST NATURAL PRO Porcelain	CINDER BOOST NATURAL PRO Porcelain & Wall Tile	DOVE BOOST NATURAL PRO Porcelain	ASH BOOST NATURAL Porcelain & Wall Tile	SKIN BOOST NATURAL PRO Wall Tile	CORAL BOOST NATURAL Porcelain	ECRU BOOST NATURAL Porcelain & Wall Tile	COFFEE BOOST NATURAL PRO Wall Tile	UMBER BOOST NATURAL Porcelain
COAL BOOST NATURAL Porcelain	LAVA BOOST NATURAL PRO Wall Tile	COBALT BOOST NATURAL Porcelain	MOTION OAT BOOST NATURAL PRO Wall Tile	MOTION COFFEE BOOST NATURAL PRO Wall Tile	3D WAVE SALT BOOST NATURAL PRO 3D Wall Tile	3D WAVE KAOLIN BOOST NATURAL 3D Wall Tile	3D WAVE OAT BOOST NATURAL PRO 3D Wall Tile	3D WAVE CINDER BOOST NATURAL PRO 3D Wall Tile	3D WAVE ASH BOOST NATURAL 3D Wall Tile	3D WAVE SKIN BOOST NATURAL PRO 3D Wall Tile	3D WAVE ECRU BOOST NATURAL 3D Wall Tile
3D RICE SALT BOOST NATURAL PRO 3D Wall Tile	3D RICE OAT BOOST NATURAL PRO 3D Wall Tile	3D RICE CINDER BOOST NATURAL PRO 3D Wall Tile	3D CRAFT SALT BOOST NATURAL PRO 3D Wall Tile	3D CRAFT OAT BOOST NATURAL PRO 3D Wall Tile	3D CRAFT OAT BOOST NATURAL PRO 3D Wall Tile	3D BRUSHED KAOLIN BOOST NATURAL 3D Wall Tile	3D BRUSHED ASH BOOST NATURAL 3D Wall Tile	3D BRUSHED ECRU BOOST NATURAL 3D Wall Tile	3D TEXTURE KAOLIN BOOST NATURAL 3D Wall Tile	3D TEXTURE ASH BOOST NATURAL 3D Wall Tile	3D TEXTURE ECRU BOOST NATURAL 3D Wall Tile

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO





Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group Bla
Compliant with standards ISO 13006 annex G group Bla
Conforme alla norma EN 14411 Appendice G gruppo Bla
Conforme alla norma ISO 13006 Appendice G gruppo Bla

Gres porcellanato - Rettificato monocalibro

120x278 cm - 47¹/₄"x109¹/₂"
120x120 cm - 47¹/₄"x47¹/₄"
60x120 cm - 23³/₈"x47¹/₄"
60x60 cm - 23³/₈"x23³/₈"
30x60 cm - 11¹/₄"x23³/₈"

± 6 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm

120x120 cm - 47¹/₄"x47¹/₄"
60x120 cm - 23³/₈"x47¹/₄"
60x60 cm - 23³/₈"x23³/₈"

± 20 mm
± 20 mm
± 20 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles				
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Velvet Velvetech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
	Length and width Lunghezza e larghezza	ISO 10545-2	± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Thickness Spessore		± 0.5 (**)	± 5 (**)	± 0.5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Straightness of sides Rettilineità degli spigoli Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect. e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect. w. ± 0.8 Non-rect. w. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect. e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect. w. ± 0.5 Non-rect. w. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect. e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect. w. ± 2.0 Non-rect. w. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0.5% Individual Maximum 0.6% E _v ≤ 0.5% Valore massimo singolo 0.6%			≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %
			ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0.5%			≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)/(5)	EN 1339 Annex F	-			-	-	-	-	-
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55
ISO 10545-6			≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
ISO 10545-9			Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)
ISO 10545-12			Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	Class A1 or A1 _s Classe A1 oppure A1 _s			A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s
			Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A
	Declared Class Classe dichiarata				LA	LA	LA	LA	LA	
	Declared Class Classe dichiarata				HA	HA	-	HA	HA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5	5
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate		Declared Class Classe dichiarata			5	5	5	5	5
	Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	N.C.	R11	R11
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	0	A+B+C	A+B+C
		BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(•)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
	Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(••)	Class P3	-	Class P4	Class P4
		UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			(•••)	Class C2	-	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ > 0.40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0.40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato
ANSI A 326.3			-			dry DCOF ≥ 0.42	wet DCOF ≥ 0.50	dry DCOF ≥ 0.42	wet DCOF ≥ 0.55	wet DCOF ≥ 0.55
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico		ANSI A 326.3	-			dry DCOF ≥ 0.42	wet DCOF ≥ 0.50	dry DCOF ≥ 0.42	wet DCOF ≥ 0.55	wet DCOF ≥ 0.55



Wall tiles - Rectified monocaliber

Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII
Conforme alla norma EN 14411 Appendice L gruppo BIII
Conforme alla norma ISO 13006 Appendice L gruppo BIII


Rivestimento - Rettificato monocalibro

50x120 cm - 19⁵/₈"x47¹/₄" ± 8,5 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
			7 cm ≤ N < 15 cm	N ≥ 15 cm			
			(mm)	(%)	(mm)		
	Length and width Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
	Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme	
	Straightness of sides Rettilinearità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme
			e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.		
			w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.		
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
	Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
	Release of dangerous substances: Cadmium (in mg/dm ²) and Lead (in mg/dm ²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	

BOOSTWORLD

BOOST PRO BOOST NATURAL BOOST NATURAL PRO BOOST STONE BOOST MIX BOOST MINERAL BOOST BALANCE BOOST COLOR



Boost your style

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un'unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d'uso.

DISCOVER
BOOST WORLD



Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilit  d'exp ditions conformes aux prescriptions nationales partout dans le monde, m me sur les march s dont les proc dures douan res sont complexes comme l' gypte, le Maroc ou le Kurdistan, gr ce   la collaboration toujours active avec les organismes de certification homologu s dans chaque pays. - Se pueden realizar envos seg n la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperaci n permanente con los organismos de certificaci n acreditados en cada pa s. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis   jour au: 2024
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter  : <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements compl mentaires merci d' crire  : france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO





atlasconcorde.com

Copyright 2024 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
April 2024