

STONE LOOK

Mystone Tivoli



MARAZZI



Mystone Tivoli

As if smoothed by time, Mystone Tivoli reinterprets Roman stone with a soft, even surface. Available in Bianco, Grigio and Beige, it comes in 60x60, 60x120, 75x75, 120x120, 75x150 and 160x160 sizes. The Vesta 3D structure and the Tratti mosaic expand design possibilities, while Tecnico and 3D Ink enhance material richness and precision of design. Suitable for indoor and outdoor projects, it is also available in 20 mm for refined and coherent outdoor spaces.

MQDW Crea Forma01 3D Rovere Scuro Rt 60x135cm
MQAQ Mystone Tivoli Beige Rt 120x120cm
MQAE Mystone Tivoli Beige R10 Rt 120x120cm
MQ9C Grande Stone Look Tivoli Beige Naturale 3D Ink Rt 120x278cm



MQED Mystone Tivoli Bianco Struttura Vesta 3D Rt 60x120cm
MQAW Mystone Tivoli Bianco Rt 60x120cm
MQ8J Resin Azzurro Rt 60x120cm



MQDW Crea Forma01 3D Rovere Scuro Rt 60x135cm
MQAN Mystone Tivoli Bianco Rt 120x120cm
MAFX Grande Marble Look Verde Borgogna Satin Rt 6Mm 160x320cm













Mystone Tivoli Index

Mystone Tivoli

- Colorbody Fine Porcelain Stoneware



Beige

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
60x120cm	Natural	MQAV	Mystone Tivoli Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	1,44	30,10	36	51,84	1.083,61
60x120cm	Natural	MQAY	Mystone Tivoli Beige R10	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	2	1,44	30,40	36	51,84	1.094,36
60x120cm	Structured Surface	MQC2	Mystone Tivoli Beige Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H	V2	2	1,44	30,03	36	51,84	1.081,13
160x160cm	Natural	MQAC	Mystone Tivoli Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 1			>= 0.42	H	V2	1	2,56	50,02	18	46,08	900,35
120x120cm	Natural	MQAE	Mystone Tivoli Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	1	1,44	31,34	36	51,84	1.128,18
120x120cm	Natural	MQAQ	Mystone Tivoli Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	1	1,44	31,18	36	51,84	1.122,56
120x120cm	Structured Surface	MQAT	Mystone Tivoli Beige Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H	V2	1	1,44	31,56	36	51,84	1.136,09
60x60cm	Natural	MQC4	Mystone Tivoli Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	3	1,08	21,95	40	43,20	878,05
60x60cm	Natural	MQC6	Mystone Tivoli Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	3	1,08	22,20	40	43,20	887,98
75x150cm	Natural	MQCC	Mystone Tivoli Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,25	45,19	21	47,25	948,99
75x75cm	Natural	MQCE	Mystone Tivoli Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	1,13	23,00	42	47,25	965,86
160x160cm	Structured Surface	MQNH	Mystone Tivoli Beige Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H		1	2,56	51,21	18	46,08	921,78



Bianco

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
60x120cm	Natural	MQAW	Mystone Tivoli Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	1,44	30,20	36	51,84	1.087,02
60x120cm	Natural	MQAX	Mystone Tivoli Bianco R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	2	1,44	30,41	36	51,84	1.094,59
60x120cm	Structured Surface	MQC0	Mystone Tivoli Bianco Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H	V2	2	1,44	29,75	36	51,84	1.071,07
160x160cm	Natural	MQA8	Mystone Tivoli Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 1			>= 0.42	H	V2	1	2,56	40,99	18	46,08	737,87
120x120cm	Natural	MQAF	Mystone Tivoli Bianco R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	1	1,44	32,06	36	51,84	1.154,05
120x120cm	Natural	MQAN	Mystone Tivoli Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	1	1,44	31,16	36	51,84	1.121,84
120x120cm	Structured Surface	MQAS	Mystone Tivoli Bianco Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H	V2	1	1,44	30,45	36	51,84	1.096,21
60x60cm	Natural	MQC3	Mystone Tivoli Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	3	1,08	22,88	40	43,20	915,06
60x60cm	Natural	MQC8	Mystone Tivoli Bianco R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	3	1,08	22,77	40	43,20	910,82
75x150cm	Natural	MQC9	Mystone Tivoli Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,25	45,56	21	47,25	956,67
75x75cm	Natural	MQCF	Mystone Tivoli Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	1,13	23,00	42	47,25	965,86
160x160cm	Structured Surface	MQNG	Mystone Tivoli Bianco Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H		1	2,56	50,49	18	46,08	908,88



Grigio

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
60x120cm	Natural	MQAU	Mystone Tivoli Grigio Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	1,44	30,33	36	51,84	1.092,06
60x120cm	Natural	MQAZ	Mystone Tivoli Grigio R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	2	1,44	30,83	36	51,84	1.109,83
60x120cm	Structured Surface	MQC1	Mystone Tivoli Grigio Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H	V2	2	1,44	29,71	36	51,84	1.069,53
160x160cm	Natural	MQAD	Mystone Tivoli Grigio Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 1			>= 0.42	H	V2	1	2,56	51,21	18	46,08	921,78
120x120cm	Natural	MQAH	Mystone Tivoli Grigio R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	1	1,44	31,40	36	51,84	1.130,40
120x120cm	Natural	MQAP	Mystone Tivoli Grigio Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	1	1,44	31,55	36	51,84	1.135,85
120x120cm	Structured Surface	MQAR	Mystone Tivoli Grigio Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H	V2	1	1,44	31,28	36	51,84	1.125,98
60x60cm	Natural	MQC5	Mystone Tivoli Grigio Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	3	1,08	22,58	40	43,20	903,20
60x60cm	Natural	MQC7	Mystone Tivoli Grigio R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 3	36+ Both Sliders	P3	>= 0.42	H	V2	3	1,08	22,30	40	43,20	892,19
75x150cm	Natural	MQCA	Mystone Tivoli Grigio Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,25	47,24	21	47,25	992,02
75x75cm	Natural	MQCD	Mystone Tivoli Grigio Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V2	2	1,13	23,00	42	47,25	965,86



Vesta 3D

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
60x120cm	Natural	MQEA	Mystone Tivoli Beige Struttura Vesta 3d Rt	MM 09	•	Frost proof, Resistance deep abrasion	Wall	3D Ink, High Performance								V2	2	1,44	28,73	36	51,84	1.034,11
60x120cm	Natural	MQEC	Mystone Tivoli Grigio Struttura Vesta 3d Rt	MM 09	•	Frost proof, Resistance deep abrasion	Wall	3D Ink, High Performance								V2	2	1,44	28,82	36	51,84	1.037,42
60x120cm	Natural	MQED	Mystone Tivoli Bianco Struttura Vesta 3d Rt	MM 09	•	Frost proof, Resistance deep abrasion	Wall	3D Ink, High Performance								V2	2	1,44	29,00	36	51,84	1.044,11



Mosaico Tratti Bianco

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x60cm	Natural	MQH2	Mystone Tivoli Bianco Mosaico Tratti	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall										4	0,72	16,70	30	21,60	501,00



Mosaico Tratti Grigio

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x60cm	Natural	MQGZ	Mystone Tivoli Grigio Mosaico Tratti	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall										4	0,72	16,70	30	21,60	501,00



Mosaico Tratti Beige

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x60cm	Natural	MQH1	Mystone Tivoli Beige Mosaico Tratti	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall										4	0,72	16,70	30	21,60	501,00

Legend

Destinazioni d'uso

- D**
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.
- E**
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.
- F**
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.
- G**
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
- H**
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Color variations

- V0**
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour
- V1**
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run
- V2**
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run
- V3**
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
- V4**
Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications



ISO 14001



ISO 50001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Greenguard Certification



LEED Credits



FDES



Declare



Declare



HPD



CCC



CE 001MRZI



CE 009MRZI



UKCA 001MRZUK



UKCA 009MRZUK



SASO

© Copyright by Marazzi Group S.r.l.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

Color reproduction is approximate. The tables reporting data on box contents and packaging weights are updated at the time of the catalogue printing; therefore, the listed data may be subject to change. Marazzi Group reserves the exclusive right to modify and replace, even partially, the components of the systems illustrated in this folder without prior notice.



MARAZZI